

VARIO smart Extract from the menu

Animal management	Register	Animal
		Automatically
	Cancel	Animal
		Group
		Weaned animals
		Settings
	Change registration	<Animal 1..250>; group: A..D
<input checked="" type="checkbox"/> Change pen for CalfRail	Box/transmitter present; Create new transmitter	
Transmitter	New	
	Edit	
	Information	
Feeding	Individual animal	Group: [A..D]
		Feed
		Concentration
		Milk ratio as %
		<input checked="" type="checkbox"/> C 1/2
		<input checked="" type="checkbox"/> Additive 1/2
		<input checked="" type="checkbox"/> Weight
		Plan day: x
	<input checked="" type="checkbox"/> Additive	Animal
		Group
		Medicine prescription
		Electrolyte prescription
	Plans	Feed
		Winter feed plans
		<input checked="" type="checkbox"/> Concentrate 1/2
		Carryover
	Alarm levels	Feed
		<input checked="" type="checkbox"/> Concentrate 1/2
		<input checked="" type="checkbox"/> Scales
Preference	Alarm: [yes no]; additive: [yes no]; up to feed day 0 to 99; box: none, 1.. 8	
Calibration	Components <Boiler water> <Milk> <MP> <input checked="" type="checkbox"/> <Additive 1/2> <input checked="" type="checkbox"/> <<Detergent> <input checked="" type="checkbox"/> <Concentrate station 1..8>	start? measured? Set quantity in ml or g Pulses (water HE and boiler, <input checked="" type="checkbox"/> IFS-C or parallel mode): xxx Runtime in s Max. quantity: 99 g/l Date of the last calibration
	<input checked="" type="checkbox"/> <Scales 1/1..12/2>	start?; Calibration factor: xxx; half scale factor: 1.00 to 2.00; date of last calibration

Calibration	⊕ Hose pumps	start?; measured?; Set quantity in ml oder g; Pulses: xxx; Tolerance: 5 to 50 %; Date of last calibration	
	⊕ Auto calibration	<MP>; <Water>; <Milk>; <Hose pumps>	
Device data	Operating modes	Ad lib: [yes no] Concentration: 0 g/l, 5 to 255 g/l (only in ad lib mode) Milk ratio: 0%, 30 to 100% (only in ad lib mode) ⊕ Additive 1/2: 0 to 99 g/l (only in ad lib mode)	
	Milk values	[MP mode MP/milk mode] [continue with MP machine stop] (only for MP milk mode) Compensate: 5 to 255 g/l Drain: 0.1 to 3 h Encircle: < 30 to 70%, 100%	
	Portion	Set temperature: 10.0 to 44.0 °C Minimum temperature: 0 to 43.5 °C Empty: 0 to 120 min Mixer OFF delay: 3 to 12 seconds	
	Time/date	Time: current time; date: current date; format	
	Stations	Feed	
		⊕ Concentrate	
		⊕ Teat slider	
		⊕ CalfProtect	
	Function keys	Animal list Start mixer Correction days ...	
	Animal list	Column 1/2: TR consumption C 1/2 consumption break offs visits dr. speed	
Data backup	Internal (feeder)		
	SD card		
	Cloud		
New installation	Device data; Plans; Medicine prescr.; Animal data; Serial number; Everything		
Cleaning	Mixer	start?	
		Cleaning cycles/day: 0 to 4 Cleaning time 1.. 4: 00:00 to 23:59 hrs Drainage mode: [yes no]	
	Heat exchanger	start?	
		Cleaning cycles/day: 0.. 4 Cleaning time 1.. 4: 00:00 to 23:59 hrs Milk empty: [yes no]	
	Cleaning cycle	start?	
		Water/box: 0.3 to 1.5 liters	
	Compressed air	Start after: 0.5 to 120 min	
		Feeding box	
	Sponge	start?	
	Rinsing the hose	<Group A..D> activated: [yes no] as of plan day: 1 to 99	
Settings	Temperature: 10.0 to 50.0 °C Detergent: 0 to 25 ml/l Clean teat: [yes no]		

Diagnosis	Valves	Open boiler water? Open milk? Open mixer drain? Open circulation valve?
	Motors	Start mixer? Start milk pump? Start powder? Start additive 1/2? Start feeding pump? Circulation pump
	Heating	Switch on?; boiler: xx °C
	Sensors	Elec. supply: free/covered Elec. point: free/covered Elec. rod: free/covered Detergent: OK MAP button: active/inactive Mixer/boiler: xx.x°C Water meter
	Feed	Feed, concentrate
	Control	<Fault> Amount: xx; since: Date; most recent: Date/time; delete?
	Version	Feeder; Processor; ID chip; Terminal; Identification; Peripheral device
	Setup	Language; Machine; Equipment; Identification; ID chip; Calibration scale; Boxes; Terminal; Communication; Service
	Remote maintenance	
Animal control	Animal list	Feed consumption %/liter; Drinking Speed; Animal Visits; Break offs
	Entitlement	Starting from; Consumption %/liters; Break off; Visit
	Alarm	delete all?; Consumption%; Feed l; Concentration g/l
	Plan over date	delete all?
	⊕ Additive	Additive 1/2; break off
	40FIT period	Consumption %; Break off; Drinking speed %; Visit; Feeding day
	⊕ CalfRail	Consumption %; Break off; Drinking speed %; Visit; Feeding day
	Marked	Consumption %; Break off; Drinking speed %; Visit; Feeding day
	New	Number; Animal no.; Group; Feed; Concentration; Milk ratio; Plan day; Feeding day; Date; Time; Confirm?
	Doubled	Animal no.; confirm?
	unknown	delete?; Number; Amount; Time; Date; register?
	All	Consumption %; Break off; Drinking speed %; Visit; Feeding day
	Total consumption	Total; Animal; Portion; Group

	Extra portion	start? Output: [Bucket station 1.. 8 mixer] Target quantity: 0 to 99 liters Temperature: 42 to 45 °C Concentration: 5 to 255 g/l Milk ratio: 0 to 100 % Additive 1/2: 0 to 99 g/l
Manual functions	Mixer: drain? Milk: inlet? Start milk? Boiler water: start? Powder: start? Additive 1: start? Additive 2: start? Mixer: start? HE: fill? Lines: open?	
	Feeding box	Open valve?; Start pump?