COMPACT smart Extract from the menu

		Animal
Animal manage- ment	Register	Automatically
	Cancel	Animal
		Group
		Weaned animals
		Settings
	Change registration	<animal 1250="">; group: AD</animal>
	Change pen for CalfRail	Box/transmitter present; Create new transmitter
	Transmitter	New
		Edit
		Information
		Group: [AD]
		Feed
		Concentration
	Individual animal	Milk ratio as %
Feeding		⊕ C 1/2
		◆ Additive 1
		◆ Weight
		Plan day: x
	◆ Additive	Animal
		Group
recaing		Medicine prescription
		Electrolyte prescription
	Plans	Feed
		Winter feed plans
		◆ Concentrate 1/2
		Carryover
	Alarm levels	Feed
		◆ Concentrate 1/2
		◆ Scales
	Preference	Alarm: [yes no]; additive: [yes no]; up to feed day 0 to 99; box: none, 1 8
Calibration	Components <boiler water=""> <mp> <additive 1=""> <<detergent> <concentrate 18="" station=""></concentrate></detergent></additive></mp></boiler>	start? measured? Set quantity in ml or g Runtime in s Max. quantity: 99 g/l Date of the last calibration
	◆ <scales 1="" 112="" 2=""></scales>	start?; Calibration factor: xxxx; half scale factor: 1.00 to 2.00; date of last calibration

	Auto calibration	<mp>; <water>; <milk>; <hose pumps=""></hose></milk></water></mp>
	Operating modes	Ad lib: [yes no] Concentration: 0 g/l, 5 to 255 g/l (only in ad lib mode) Additive 1/2: 0 to 99 g/l (only in ad lib mode)
Device data	Portion	Set temperature: 10.0 to 44.0 °C Minimum temperature: 0 to 43.5 °C Empty: 0 to 120 min Mixer OFF delay: 3 to 12 seconds
	Time/date	Time: current time; date: current date; format
	Stations	Feed
		⊕ Concentrate
		Teat slider
	Function keys	Animal list Start mixer Correction days
	Animal list	Column 1/2: TR consumption C 1/2 consumption break offs visits dr. speed
		Internal (feeder)
	Data backup	SD card
		Cloud
	New installation	Device data; Plans; Medicine prescr.; Animal data; Serial number; Everything
	Mixer	start?
		Cleaning cycles/day: 0 to 4 Cleaning time 1 4: 00:00 to 23:59 hrs Drainage mode: [yes no]
		Cleaning cycles/day: 0 4 Cleaning time 1 4: 00:00 to 23:59 hrs Milk empty: [yes no]
	Clooping evolo	start?
	Cleaning cycle	Water/box: 0.3 to 1.5 liters
Cleaning		Feeding box
	Rinsing the hose	<group ad=""> activated: [yes no] as of plan day: 1 to 99</group>
	Settings	Temperature: 10.0 to 50.0 °C Detergent: 0 to 25 ml/l Clean teat: [yes no]

Diagnosis	Motors Heating Sensors Feed Control Version Setup Remote maintenance	Start mixer? Start milk pump? Start powder? Additive 1 start? Start feeding pump? Circulation pump Switch on?; boiler: xx °C Elec. supply: free/covered Elec. point: free/covered Elec. rod: free/covered Detergent: OK MAP button: active/inactive Mixer/boiler: xx.x°C Water meter Feed, concentrate <fault> Amount: xx; since: Date; most recent: Date/time; delete? Feeder; Processor; ID chip; Terminal; Identification; Peripheral device Language; Machine; Equipment; Identification; ID chip; Calibration scale; Boxes; Terminal: Communication; Service</fault>
	Sensors Feed Control Version Setup	Elec. supply: free/covered Elec. point: free/covered Elec. rod: free/covered Detergent: OK MAP button: active/inactive Mixer/boiler: xx.x°C Water meter Feed, concentrate <fault> Amount: xx; since: Date; most recent: Date/time; delete? Feeder; Processor; ID chip; Terminal; Identification; Peripheral device Language; Machine; Equipment; Identification; ID chip; Calibration scale;</fault>
	Feed Control Version Setup	Elec. point: free/covered Elec. rod: free/covered Detergent: OK MAP button: active/inactive Mixer/boiler: xx.x°C Water meter Feed, concentrate <fault> Amount: xx; since: Date; most recent: Date/time; delete? Feeder; Processor; ID chip; Terminal; Identification; Peripheral device Language; Machine; Equipment; Identification; ID chip; Calibration scale;</fault>
	Control Version Setup	<fault> Amount: xx; since: Date; most recent: Date/time; delete? Feeder; Processor; ID chip; Terminal; Identification; Peripheral device Language; Machine; Equipment; Identification; ID chip; Calibration scale;</fault>
	Version Setup	Amount: xx; since: Date; most recent: Date/time; delete? Feeder; Processor; ID chip; Terminal; Identification; Peripheral device Language; Machine; Equipment; Identification; ID chip; Calibration scale;
	Setup	Language; Machine; Equipment; Identification; ID chip; Calibration scale;
	Remote maintenance	Boxes, Terminal, Communication, Service
	Animal list	Feed consumption %/liter; Drinking Speed; Animal Visits; Break offs
	Entitlement	Starting from; Consumption %/liters; Break off; Visit
	Alarm	delete all?; Consumption%; Feed I; Concentration g/I
	Plan over date	delete all?
	◆ Additive	Additive 1/2; break off
	40FIT period	Consumption %; Break off; Drinking speed %; Visit; Feeding day
Animal control	◆ CalfRail	Consumption %; Break off; Drinking speed %; Visit; Feeding day
	Marked	Consumption %; Break off; Drinking speed %; Visit; Feeding day
	New	Number; Animal no.; Group; Feed; Concentration; Milk ratio; Plan day; Feeding day; Date; Time; Confirm?
	Doubled	Animal no.; confirm?
	unknown	delete?; Number; Amount; Time; Date; register?
	All	Consumption %; Break off; Drinking speed %; Visit; Feeding day
	Total consumption	Total; Animal; Portion; Group
	Extra portion	start? Output: [Bucket station 1 8 mixer] Target quantity: 0 to 99 liters Temperature: 42 to 45 °C Concentration: 5 to 255 g/l Milk ratio: 0 to 100 % Additive 1: 0 to 99 g/l
Manual functions	Mixer: drain? Milk: inlet? Start milk? Boiler water: start? Powder: start? Additive 1: start? Mixer: start? HE: fill? Lines: open? Feeding box	Open valve?; Start pump?